Amendments to the Claims:

Please amend claims 1, 20-22 and 24 as shown in the listing of claims that follows. This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently amended) A method of reducing or eliminating neoplastic cells in an ex vivo mixture of normal, hematopoeitic cells and neoplastic cells by eontacting incubating said mixture with an effective amount of a vesicular stomatitis virus, wherein the mixture is a suspension.
- 2. (canceled).
- 3. (Original) A method as in claim 1 wherein said neoplastic cells are leukemia cells.
- 4. (Original) A method as in claim 1 wherein said hematopoeitic cells are marrow cells.
- 5 (Original) A method as in claim 1 wherein said hematopoeitic cells are peripheral blood cells.

Claims 6-9 (canceled).

10. (Withdrawn) A method as in claim 7 wherein said non-segmented, negative sense RNA virus is a paramyxovirus.

- 11. (Withdrawn) A method as in claim 10 wherein said paramyxovirus is Newcastle disease virus.
- 12. (Withdrawn) A method as in claim 6 wherein said single-strand RNA virus is Sindbis virus.
- 13. (Withdrawn) A method as in claim 2 wherein said RNA virus is a double-strand RNA virus.
- 14. (Withdrawn) A method as in claim 13 wherein said double strand RNA virus is a reovirus.
- 15. (Withdrawn) A method as in claim 14 wherein said reovirus is reovirus type 3.
- 16. (Withdrawn) A method as in claim 13 wherein said reovirus is clonal.
- 17. (Previously presented) A method as in claim 1 wherein said virus is replication-competent.
- 18. (Withdrawn) A method as in claim 2 wherein said RNA virus is a replication-incompetent RNA virus.
- 19. (Original) A method as in claim 1 wherein said neoplastic cells are lymphoma cells.
- 20. (Currently amended) A method as in claim 1 further comprising administering a chemotherapeutic agent to the mixture before, during or after <u>contacting incubating</u> with said virus.

- 21. (Currently amended) A method as in claim 1 further comprising administering an interferon to the mixture before, during or after contacting incubating with said virus.
- 22. (Currently amended) A method of treating cancer in a mammal comprising:
- a) removing bone marrow or peripheral blood cells from said mammal as a suspension,
- b) <u>contacting incubating</u> said suspension of bone marrow or peripheral blood cells ex vivo with an effective amount of a vesicular stomatitis virus,
- c) performing myeloablative treatment on said mammal, and
- d) transplanting into said mammal the purged hematopoeitic cells of step b.
- 23. (Original) A method as in claim 22 wherein said myeloablative treatment is high dose chemotherapy.
- 24. (Currently amended) A method of treating cancer in a mammal receiving a bone marrow or peripheral blood stem cell transplant comprising eontacting incubating the suspension of harvested transplant cells ex vivo with an effective amount of a vesicular stomatitis virus, and administering the purged cells to said mammal.